



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End |
|--|------------|-----------------------|---------|-------|------------|-----------|-----------|----------------|------------|------------|----------|
| COROLLA 1500CC | 78~ | 1 A | 4 | IN | ITY-0546 | 36.00 | 7.00 | 106.70 | 45° | F | MG |
| TERCEL 1300CC | 80~ | 2 A | | | | | | | | | |
| CARINA 1500CC | 80~ | 3 A | | | | | | | | | |
| CORONA 1600CC | 83~ | 4 A | | EX | ETY-5546 | 31.00 | 7.00 | 106.70 | 45° | F | MG |
| AE80/90/100 AL10/20 AT150/160/170 | | | | | | | | | | | |
| COROLLA 1600CC | 88~ | 4 AF | 4 | IN | ITY-0569 | 30.00 | 6.00 | 91.50 | 45° | ST | CG |
| CARINA 1500CC | 87~ | 5 A | | | | | | | | | |
| AE92/95/101/104 AT190 | | Ⓣ | | EX | ETY-5569 | 24.60 | 6.00 | 92.00 | 45° | F | CG |
| COROLLA 1600CC 1800CC | 87~ | 4 AFE | 6 | IN | ITY-0598 | 31.00 | 6.00 | 87.50 | 45° | FR | CG |
| | | Ⓣ | | EX | ETY-5589 | 24.50 | 6.00 | 88.00 | 45° | FR | CG |
| COROLLA GT 1600CC | 83~ | 4 AG | 4 | IN | ITY-0559 | 30.50 | 6.00 | 99.60 | 45° | ST | CG |
| CELICA MR2 AA63 AE86/92/101 AW11 | | Ⓣ | | EX | ETY-5559 | 25.40 | 6.00 | 99.80 | 45° | ST | CG |
| COROLLA 1800CC | 96~ | 4 AFE 7 AFE | | IN | ITY-0589 | 31.00 | 6.00 | 88.00 | 45° | FR | CG |
| AE102 | | Ⓣ | | EX | ETY-5589 | 24.50 | 6.00 | 88.00 | 45° | F | CG |
| COROLLA 1600CC | 91~ | 4 AGE IN-⑧ EX-⑫ | 4 | IN | ITY-0603 | 26.50 | 5.00 | 98.60 | 45° | FR | CG |
| | | | | EX | ETY-5603 | 26.00 | 5.00 | 108.50 | 45° | FR | CG |
| CAMRY RAV4 WISH AVENSIS PICNIC PREVIA/TARAGO 2000/2400CC | 00~ | 1 AZ 2 AZ | 4 | IN | ITY-0621 | 34.00 | 5.50 | 101.70 | 45° | ST | CG |
| | | | | EX | ETY-5621 | 29.45 | 5.50 | 101.20 | 45° | ST | CG |
| DYNA 3000CC LANDCRUISER | 72~ | B | 4 | IN | ITY-0538 | 45.00 | 9.00 | 128.00 | 45° | F | MG |
| EU20/30/BJ4# | | | | EX | ETY-5538 | 37.50 | 9.00 | 127.80 | 45° | F | MG |
| DYNA 3000CC COASTER 3200CC LANDCRUISER | 77~ 77~ | B 2 B | 4 | IN | ITY-0556 | 45.00 | 9.00 | 128.00 | 45° | F | CG |
| BU20/30/BJ4# | | | | EX | ETY-5556 | 37.50 | 9.00 | 127.80 | 45° | F | CG |



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End |
|--|---------------|-------------|----------|-------|------------|-----------|-----------|----------------|------------|------------|----------|
| DYNA 3000CC LANDCRUISER | 77~ | B 2B | 4 | IN | ITY-0586 | 44.00 | 9.00 | 128.00 | 45° | F | CG |
| | | | | EX | ETY-5586 | 36.50 | 9.00 | 128.00 | 45° | F | CG |
| DYNA 3000CC LANDCRUISER | 82~ | B 2B | 4 | IN | ITY-0582 | 45.00 | 9.00 | 126.50 | 45° | F | CG |
| | | | | EX | ETY-5582 | 37.50 | 9.00 | 126.40 | 45° | F | CG |
| DYNA 3400CC COASTER LANDCRUISER BJ4# /6# /BU/BB | 80~ | 3B | 4 | IN | ITY-0544 | 46.00 | 9.00 | 128.30 | 45° | F | CG |
| | | | | EX | ETY-5544 | 41.00 | 9.00 | 127.80 | 45° | F | CG |
| DYNA 3000CC COASTER LANDCRUISER | 85~ | 11B | 4 | IN | ITY-0544 | 46.00 | 9.00 | 128.30 | 45° | F | CG |
| | 3400CC 85~ | 13B | | EX | ETY-5557 | 38.50 | 9.00 | 128.10 | 45° | F | CG |
| DYNA | | 11B | | IN | ITY-0604 | 44.00 | 9.00 | 126.60 | 45° | F | CG |
| | | | | EX | ETY-5604 | 36.40 | 9.00 | 126.60 | 45° | F | CG |
| DYNA LAND CRUISER BU6# /8# /9# | | 13B 14B | 4 | IN | ITY-0573 | 46.00 | 9.00 | 127.00 | 45° | F | CG |
| | | | | EX | ETY-5573 | 38.50 | 9.00 | 128.00 | 45° | F | CG |
| | | | | EX | ETY-5585 | 38.50 | 9.00 | 126.50 | 45° | F | CG |
| | | | | EX | ETY-5599 | 41.10 | 9.00 | 126.50 | 45° | F | CG |
| DYNA 4100CC | 88~ | 15B | 4 | IN | ITY-0613 | 37.00 | 7.00 | 126.50 | 45° | F | CG |
| | | | | EX | ETY-5613 | 33.10 | 7.00 | 126.50 | 45° | F | CG |
| COROLLA VAN 1800CC CORONA VAN 2000CC CE7# /8# /CT150/160 | 81~ | 1C | 4 | IN | ITY-0552 | 38.50 | 8.00 | 106.50 | 45° | F | CG |
| | 83~ | 2C | | EX | ETY-5552 | 32.50 | 8.00 | 106.50 | 45° | F | CG |
| COROLLA VAN 18000CC CARINA 20000CC CE95/CT170 | 89~ | 1C | 4 | IN | ITY-0590 | 38.50 | 8.00 | 105.00 | 45° | F | CG |
| | 90~ | 2C | | EX | ETY-5590 | 32.50 | 8.00 | 105.00 | 45° | F | CG |
| TRUCK 6000CC 6500CC DA100 | 69~76 | D 2D | 6 6 | IN | ITY-0535 | 47.00 | 10.00 | 161.70 | 45° | F | CG/MG |
| | | EX | ETY-5535 | 42.90 | 10.00 | 161.50 | 45° | F | CG/MG | | |
| TRUCK 6500CC DA100 | 77~81 | 2D | 6 | IN | ITY-0536 | 47.00 | 10.00 | 158.70 | 45° | F | MG |
| | | | | EX | ETY-5536 | 43.00 | 10.00 | 158.60 | 45° | F | MG |
| TRUCK 6500CC DA110/120 | 81~ | 2D | 6 | IN | ITY-0555 | 46.80 | 10.00 | 158.50 | 45° | F | CG |
| | | | | EX | ETY-5555 | 42.80 | 10.00 | 158.50 | 45° | F | CG |



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End |
|--|------|-------------|---------|-------|------------|-----------|-----------|----------------|------------|------------|----------|
| COROLLA 1000CC | 84~ | 1E | 4 | IN | ITY-0577 | 39.30 | 6.00 | 92.30 | 45° | ST | CG |
| STARLET 1300CC | 84~ | 2E | | IN | ITY-0677 | 21.10 | 6.00 | 98.70 | 45° | F | CG |
| TERCEL 1500CC | 86~ | 3E | | EX | ETY-5577 | 31.10 | 6.00 | 92.40 | 45° | F | CG |
| EP70/EL31/42 EE90 | | ⓫ | | | | | | | | | |
| SERA 1300CC | 95~ | 4EFE | 4 | IN | ITY-0584 | 28.60 | 6.00 | 93.60 | 45° | FR | CG |
| TERCEL 1500CC | | 5EFE | 4 | EX | ETY-5584 | 24.50 | 6.00 | 94.00 | 45° | FR | CG |
| EL4#/5#/EXY10 | | ⓫ | | | | | | | | | |
| LAND CRUISER 3800CC | 54~ | F | 6 | IN | ITY-0539 | 44.00 | 8.00 | 153.00 | 45° | F | PG |
| | | | | EX | ETY-5539 | 37.50 | 8.00 | 121.50 | 45° | F | PG |
| LAND CRUISER 3800CC | 60~ | F | 6 | IN | ITY-0540 | 44.00 | 8.00 | 152.60 | 45° | T | MG/NG |
| FJ43 | | | | EX | ETY-5540 | 37.60 | 8.00 | 121.20 | 45° | F | MG/NG |
| LAND CRUISER 3800CC | 60~ | F | 6 | IN | ITY-0541 | 46.00 | 8.00 | 125.00 | 45° | F | MG |
| FJ43 | | | | EX | ETY-5541 | 37.50 | 8.00 | 125.00 | 45° | ST | MG |
| LAND CRUISER 4200CC | 75~ | 2F 3F | 6 6 | IN | ITY-0542 | 46.00 | 8.00 | 125.00 | 45° | ST | 3CG |
| | | | | EX | ETY-5542 | 37.50 | 8.00 | 125.30 | 45° | ST | 3CG |
| FJ40/43/45/55/60/70/80 | | | | EX | ETY-5579 | 37.50 | 8.00 | 128.00 | 45° | ST | MG |
| LAND CRUISER 4500CC | 92~ | 1FZ | 6 | IN | ITY-0593 | 38.00 | 7.00 | 98.70 | 45° | ST | CG |
| FZJ80 | | ⓫ | | EX | ETY-5593 | 32.00 | 7.00 | 98.20 | 45° | FR | CG |
| CRESSIDA (GL16) 2000CC | 80~ | 1G | 6 | IN | ITY-0548 | 36.00 | 7.00 | 109.50 | 45° | F | MG |
| CELICA/CROWN GA60/GS126 GX60/70/80 | | | | EX | ETY-5548 | 31.00 | 7.00 | 109.50 | 45° | F | MG |
| CRESSIDA | 88~ | 1G | 6 | IN | ITY-0605 | 28.00 | 6.00 | 93.40 | 45° | FR | CG |
| | | ⓫ | | EX | ETY-5605 | 23.50 | 6.00 | 93.40 | 45° | FR | CG |
| DYNA 3600CC | 69~ | H | 6 | IN | ITY-0545 | 42.00 | 9.00 | 120.90 | 45° | F | CG |
| LAND CRUISER 4000CC | 82~ | 2H | 6 | EX | ETY-5545 | 35.00 | 9.00 | 120.80 | 45° | F | CG |
| COASTER HU30/40/59/HJ47/60/75 | | | | | | | | | | | |
| LAND CRUISER 4200CC | 90~ | IHZ 1HDT | 6 | IN | ITY-0578 | 42.50 | 8.00 | 103.60 | 45° | F | CG |
| HZJ7#/8#/HDJ8# | | | | EX | ETY-5578 | 36.00 | 8.00 | 103.40 | 45° | F | CG |



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End |
|---|------|-------------|---------|-------|------------|-----------|-----------|----------------|------------|------------|----------|
| LANDCRUISER HDJ-80 4200CC | 95~ | 1HD-FTE | 6 | IN | ITY-0616 | 33.00 | 7.00 | 127.20 | 45° | F | CG |
| | | | | EX | ETY-5616 | 30.50 | 7.00 | 126.80 | 45° | F | CG |
| DYNA 2400CC JU30 2500CC | 65~ | J | 4 | IN | ITY-0537 | 40.50 | 9.00 | 120.50 | 45° | F | MG |
| | 68~ | 2J | | EX | ETY-5537 | 33.50 | 9.00 | 120.60 | 45° | F | MG |
| TOYOACE 2500CC JU16/30 | 81~ | 2J | 4 | IN | ITY-0549 | 40.50 | 9.00 | 120.90 | 45° | F | CG |
| | | | | EX | ETY-5549 | 33.50 | 9.00 | 120.60 | 45° | F | CG |
| CHASER CROWN CRESTA/MARK II 2500/3000CC | 99~ | 1JZ 2JZ | 6 | IN | ITY-0620 | | | | | | |
| | | | | EX | ETY-5620 | | | | | | |
| PUBLICA 1100CC COROLLA | 66~ | K | 4 | IN | ITY-0501 | 34.00 | 8.00 | 100.00 | 45° | ST | MG/CG |
| | | | | EX | ETY-5501 | 28.00 | 8.00 | 100.20 | 45° | ST | MG/CG |
| PUBLICA 1100CC COROLLA | 66~ | K | 4 | IN | ITY-0502 | 34.00 | 8.00 | 100.00 | 45° | ST | MG |
| | | | | EX | ETY-5502 | 28.00 | 8.00 | 100.00 | 45° | F | MG |
| COROLLA 1200CC STARLET KP42/KE20/25 | 69~ | 2K 3K | 4 4 | IN | ITY-0503 | 36.00 | 8.00 | 100.00 | 45° | F | MG/CG |
| | | | | EX | ETY-5503 | 29.00 | 8.00 | 100.00 | 45° | ST | MG/CG |
| COROLLA 1300CC STARLET 1300CC TAMARAW 1500CC KF1#/2#/4#/5# KE30/KE7#/KP6# | 69~ | 3K | 4 | IN | ITY-0504 | 36.00 | 8.00 | 100.00 | 45° | F | MG |
| | 78~ | 4K | 4 | EX | ETY-5504 | 29.00 | 8.00 | 100.00 | 45° | F | MG |
| | 83~ | 5K 7k | 4 | EX | ETY-5505 | 29.00 | 8.00 | 100.00 | 45° | F | MG |
| REVO 1800CC | 95~ | 7K | 4 | IN | ITY-0606 | 36.00 | 8.00 | 100.00 | 45° | FR | CG |
| LAND CRUISER 90 3000CC PRADO, COROLADO | 96~ | 1KZT | 4 | IN | ITY-0570 | 42.40 | 8.00 | 103.50 | 45° | F | CG |
| | | | | EX | ETY-5608 | 37.00 | 8.00 | 103.40 | 45° | F | CG |
| LAND CRUISER 3000CC PRADO, COROLADO KZJ9S | 99~ | 1KZ-TE | 4 | IN | ITY-0610 | 42.50 | 8.00 | 104.40 | 45° | F | CG |
| | | | | EX | ETY-5610 | 37.00 | 8.00 | 104.40 | 45° | F | CG |
| HILUX 2200CC HIACE 2400CC GRESSIDA/CROWN LN40/50/60 LH20/40/50/60/70 LX40/60/LS110/120 | 78~ | L | 4 | IN | ITY-0547 | 42.60 | 8.50 | 123.00 | 45° | F | 3CG |
| | 83~ | 2L | | EX | ETY-5547 | 35.00 | 8.50 | 122.80 | 45° | F | 3CG |



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End | |
|---|--------|-------------|----------|--------|------------|-----------|-----------|----------------|------------|------------|----------|-------|
| HILUX 2400CC | 89~ | 2L | 4 | IN | ITY-0570 | 42.40 | 8.00 | 103.50 | 45° | F | CG | |
| HIACE 2800CC | 89~ | 3L | | EX | ETY-5570 | 36.10 | 8.00 | 103.40 | 45° | F | CG | |
| CRESSIDA/CROWN LN80/LH100 LX80/76/LS130/140 | | | | | | | | | | | | |
| | 2400CC | 90~ | 2L | 4 | EX | ETY-5578 | 36.00 | 8.00 | 103.40 | 45° | F | CG |
| HILUX LN150 | 98~ | 5L | 4 | IN | ITY-0609 | 42.50 | 8.00 | 104.40 | 45° | F | CG | |
| | | | | EX | ETY-5609 | 36.00 | 8.00 | 104.20 | 45° | F | CG | |
| CROWN MS5# | 2400CC | 66~ | M | 6 | IN | ITY-0530 | 40.00 | 8.00 | 113.00 | 45° | F | MG |
| | | | | EX | ETY-5530 | 34.00 | 8.00 | 120.70 | 45° | F | MG | |
| CROWN | 2600CC | 66~ | M | 6 | IN | ITY-0526 | 40.00 | 8.00 | 114.20 | 45° | F | MG |
| | | | | EX | ETY-5526 | 34.00 | 8.00 | 123.20 | 45° | F | MG | |
| CROWN MS85/95/111 | 2600CC | 74~ | 4M 5M | 6 | IN | ITY-0527 | 38.00 | 8.00 | 116.20 | 45° | ST | MG |
| | | | | EX | ETY-5527 | 33.00 | 8.00 | 113.30 | 45° | ST | MG | |
| CROWN CELICA SUPRA MS112/123 MA55/61/67 | 2800CC | 80~ | 5M | 6 | IN | ITY-0528 | 42.00 | 8.00 | 116.40 | 45° | ST | MG |
| CROWN CELICA SUPRA MS125/135 | 2800CC | 84~ 85~ | 5M 6M | 6 6 | IN | ITY-0529 | 44.00 | 8.00 | 107.50 | 45° | F | MG |
| | | | | EX | ETY-5529 | 36.00 | 8.00 | 109.80 | 45° | F | MG | |
| SUPRA MA70 | 3000CC | 86~ | 7M | 6 | IN | ITY-0571 | 32.00 | 6.00 | 98.20 | 45° | FR | CG |
| | | | Ⓐ | EX | ETY-5571 | 27.60 | 6.00 | 98.20 | 45° | F | NG | |
| AVALON LEXAS ES 300 | 3000CC | | 1MZ | 6 | IN | ITY-0607 | 34.00 | 5.50 | 95.50 | 45° | FR | CG |
| | | | Ⓐ | EX | ETY-5607 | 27.30 | 5.50 | 95.40 | 45° | FR | CG | |
| STARLET | 1500CC | 87~ | 1N | 4 | IN | ITY-0611 | 34.00 | 6.00 | 91.30 | 45° | F | CG |
| | | | | EX | ETY-5611 | 29.00 | 6.00 | 91.30 | 45° | FR | CG | |
| YARIZ ECHO | | 00~ | 2N | 4 | IN | ITY-0612 | 30.50 | 5.00 | 89.20 | 45° | FR | CG |
| | | | Ⓐ | EX | ETY-5612 | 25.50 | 5.00 | 88.00 | 45° | FR | CG | |
| CORONA | 1500CC | 64~ | 2R | 4 | IN | ITY-0513 | 40.00 | 8.00 | 116.00 | 45° | F | NG/MG |
| | | | | EX | ETY-5513 | 32.00 | 8.00 | 116.00 | 45° | F | NG/MG | |



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End |
|---|---------------|-------------|---------|-------|------------|-----------|-----------|----------------|------------|------------|----------|
| CORONA 1500CC | | 2R | 4 | IN | ITY-0514 | 40.00 | 8.00 | 116.00 | 45° | F | MG |
| | | | | EX | ETY-5514 | 32.00 | 8.00 | 116.00 | 45° | F | MG |
| CORONA 1500CC | | 2R | 4 | IN | ITY-0515 | 39.00 | 8.00 | 116.00 | 45° | F | MG/CG |
| | | | | EX | ETY-5515 | 33.00 | 8.00 | 116.00 | 45° | F | MG/CG |
| CORONA HIACE HILUX RT40/50 RH10/RN10 | 66~ | 3R | 4 | IN | ITY-0531 | 42.00 | 9.00 | 125.00 | 45° | F | NG/CG |
| | | | | EX | ETY-5531 | 35.00 | 9.00 | 124.80 | 45° | F | NG/CG |
| CROWN STOUT RS80/RK101 | 70~ | 5R | 4 | IN | ITY-0532 | 43.00 | 8.50 | 109.50 | 45° | ST | MG/CG |
| | | | | EX | ETY-5532 | 37.00 | 8.50 | 109.50 | 45° | F | MG/CG |
| STOUT DYNA | 70~ | 5R | 4 | IN | ITY-0533 | 43.10 | 8.50 | 109.70 | 45° | F | 2CG |
| | | | | EX | ETY-5533 | 37.00 | 8.50 | 110.00 | 45° | ST | 2CG |
| STOUT DYNA CORONA RK101/110 RU20/30 RT100 | 79~ | 5R | 4 | IN | ITY-0534 | 43.00 | 8.50 | 109.50 | 45° | F | CG |
| | | | | EX | ETY-5534 | 37.00 | 8.50 | 110.30 | 45° | ST | CG |
| CORONA RT60/70/80 RX10 | 70~ | 6R | 4 | IN | ITY-0516 | 43.00 | 8.00 | 114.40 | 45° | ST | MG |
| | 68~ 1800CC | 7R 8R | | EX | ETY-5516 | 34.00 | 8.00 | 114.20 | 45° | F | MG |
| HILUX CORONA RN20/25 RT80 | 70~ | 12R | 4 | IN | ITY-0517 | 40.00 | 8.00 | 109.00 | 45° | ST | MG/CG |
| | | | | EX | ETY-5517 | 34.00 | 8.00 | 109.00 | 45° | F | MG/CG |
| HILUX CORONA RN30/40 RT127/130 | 77~ | 12R | 4 | IN | ITY-0518 | 40.00 | 8.00 | 109.00 | 45° | F | CG |
| | | | | EX | ETY-5518 | 34.00 | 8.00 | 109.00 | 45° | F | CG |
| HILUX CRESSIDA HIACE CORONA RT110/123/132 RN30/40 RH22/3#/4# RX30 | 71~ | 16R | 4 | IN | ITY-0519 | 41.00 | 8.00 | 113.20 | 45° | ST | MG |
| | 71~ | 18R | | EX | ETY-5519 | 36.00 | 8.00 | 113.30 | 45° | F | MG |



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End |
|--|------------|-------------|---------|-------|------------|-----------|-----------|----------------|------------|------------|----------|
| | 73~ | 18R | | IN | ITY-0520 | 43.00 | 8.00 | 113.30 | 45° | F | MG |
| | | | | EX | ETY-5520 | 36.00 | 8.00 | 113.80 | 45° | FR | MG |
| CRESSIDA 2200CC DYNA 2000CC | 75~ 78~ | 20R 21R | | IN | ITY-0523 | 43.00 | 8.00 | 115.60 | 45° | FR | MG |
| RX60/70 RU50 | | | | EX | ETY-5523 | 36.00 | 8.00 | 113.90 | 45° | F | MG |
| | | | | EX | ETY-5554 | 36.00 | 8.00 | 113.90 | 45° | ST | MG |
| CRESSIDA 2000CC DYNA 2200CC HILUX | 84~ 84~ | 21R 22R | | IN | ITY-0524 | 45.00 | 8.00 | 114.10 | 45° | F | MG |
| RX70/80 RU80/90 RN50/80/90/100 | | | | EX | ETY-5524 | 37.00 | 8.00 | 112.70 | 45° | F | MG |
| | | | | EX | ETY-5525 | 37.00 | 8.00 | 112.90 | 45° | ST | MG |
| HIACE 2000CC 2500CC | 89~ 89~ | 1RZ 2RZ | 4 4 | IN | ITY-0580 | | 8.00 | 102.00 | 45° | ST | CG |
| RZH100/103/125 | | | | EX | ETY-5580 | 35.10 | 8.00 | 102.30 | 45° | FR | CG |
| HIACE 2500CC | 89~ | 2RZE | 4 | IN | ITY-0596 | 46.00 | 8.00 | 102.20 | 45° | FR | CG |
| | | | | EX | ETY-5596 | 38.10 | 8.00 | 102.20 | 45° | FR | CG |
| HIACE 2800CC | 95~ | 3RZE | 4 | IN | ITY-0600 | 37.50 | 6.00 | 104.00 | 45° | ST | CG |
| | | Ⓜ | | EX | ETY-5592 | 30.60 | 6.00 | 104.00 | 45° | ST | CG |
| 4 RUNNER HILUX | 95~ | 3RZFE | 4 | IN | ITY-0602 | 37.50 | 6.00 | 103.50 | 45° | FR | CG |
| | | Ⓜ | | EX | ETY-5602 | 30.50 | 6.00 | 103.70 | 45° | FR | CG |
| CORONA 1800CC CELICA 2000CC CARINA SA60/ST150 | 82~ 82~ | 1S 2S | 4 4 | IN | ITY-0550 | 40.00 | 8.00 | 109.70 | 45° | F | MG |
| | | | | EX | ETY-5550 | 34.00 | 8.00 | 109.30 | 45° | ST | MG |
| CORONA 2000CC CELICA | 89~ | 3S | 4 | IN | ITY-0572 | 32.10 | 6.00 | 100.60 | 45° | ST | CG |
| ST170/180/190 | | Ⓜ | | EX | ETY-5572 | 27.00 | 6.00 | 100.60 | 45° | F | CG |



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End |
|--|------------|---------------------|---------|-------|------------|-----------|-----------|----------------|------------|------------|----------|
| CAMRY CORONA | 91~ | 3S 5S ⑩ | 4 | IN | ITY-0591 | 32.00 | 6.00 | 97.50 | 45° | ST | CG |
| | | | | EX | ETY-5591 | 27.00 | 6.00 | 98.50 | 45° | FR | CG |
| CAMRY | 91~ | 3S 5S ⑩ | 4 | IN | ITY-0594 | 32.00 | 6.00 | 97.50 | 45° | FR | CG |
| | | | | EX | ETY-5594 | 27.00 | 6.00 | 98.50 | 45° | FR | CG |
| MR2 CELICA CAMRY | 96~ | 3SG ⑩ | 4 | IN | ITY-0583 | 33.40 | 6.00 | 103.00 | 45° | ST | CG |
| | | | | EX | ETY-5583 | 29.00 | 6.00 | 102.00 | 45° | ST | CG |
| CELICA CARINA II 2000CC | 94~ | 3SGE 3SGTE ⑩ | 4 | IN | ITY-0622 | 33.50 | 6.00 | 100.6 | 45° | | CG |
| | | | | EX | ETY+5622 | 29.00 | 6.00 | 99.60 | 45° | | CG |
| PREVIA ESTIMA 2400CC | 90~ | 2TZ ⑩ | 4 | IN | ITY-0592 | 36.00 | 6.00 | 103.70 | 45° | FR | CG |
| | | | | EX | ETY-5592 | 30.60 | 6.00 | 104.00 | 45° | ST | CG |
| CARINA CELICA 1400CC 1600CC | 70~ 70~ | T 2T | 4 4 | IN | ITY-0506 | 41.00 | 8.00 | 109.20 | 45° | F | MG/CG |
| | | | | EX | ETY-5506 | 36.00 | 8.00 | 109.00 | 45° | F | MG/CG |
| CARINA CELICA CORONA/COROLLA TA1#/3#/4# TT100/TE2# | 72~ 72~ | 2T 3T | 4 4 | IN | ITY-0507 | 41.00 | 8.00 | 109.00 | 45° | F | MG |
| | | | | EX | ETY-5507 | 36.00 | 8.00 | 109.00 | 45° | F | MG |
| LEXUS CROWN 4000CC | 89~ | 1UZ ⑩ | V8 | IN | ITY-0619 | | | | | | |
| | | | | EX | ETY-5619 | | | | | | |
| LAND CRUISER UZJ100 4700CC | 98~ | 2UZ ⑩ | V8 | IN | ITY-0617 | 34.50 | 5.50 | 95.10 | 45° | | CG |
| | | | | EX | ETY-5617 | 29.00 | 5.50 | 95.10 | 45° | | CG |
| CAMRY VZV21 2500CC | 88~ | 2VZ ⑩ | V6 | IN | ITY-0597 | 33.00 | 6.00 | 96.20 | 45° | F | CG |
| | | | | EX | ETY-5597 | 27.30 | 6.00 | 96.20 | 45° | F | CG |
| 4 RUNNER CAMRY VZN100 VZN130 3000CC | 91~ | 3VZE ⑩ | V6 | IN | ITY-0587 | 42.00 | 8.00 | 104.30 | 45° | ST | CG |
| | | | | EX | ETY-5587 | 35.00 | 8.00 | 104.20 | 45° | ST | CG |
| LEXUS ES300 CAMRY PRADO | 90~ | 3VZFE 5VZFE ⑩ | V6 | IN | ITY-0595 | 34.10 | 6.00 | 95.60 | 45° | ST | CG |
| | | | | EX | ETY-5595 | 27.30 | 6.00 | 95.00 | 45° | ST | CG |



| VEHICLE MODEL | Year | ENGINE TYPE | CYL No. | IN EX | DOKURO No. | Head Dia. | Stem Dia. | Overall Length | Seat Angle | Head Style | Stem End | | |
|--|------|----------------------|------------------|-------|------------|-----------|-----------|----------------|------------|------------|----------|--|--|
| HILUX 3400CC 4 RUNNER CAMRY | 95~ | 5VZFE (24) | V6 | IN | ITY-0601 | 34.00 | 6.00 | 95.20 | 45° | FR | CG | | |
| | | | | EX | ETY-5601 | 27.30 | 6.00 | 95.00 | 45° | F | CG | | |
| HILUX 1600CC HIACE 1800CC YH50/60 2000CC YH50/60 2400CC | 82~ | 1Y 2Y 3Y 4Y | 4 4 4 4 | IN | ITY-0553 | 40.00 | 8.00 | 108.30 | 45° | F | CG | | |
| | | | | EX | ETY-5553 | 36.00 | 8.00 | 108.60 | 45° | F | CG | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| COROLLA CELICA ZZE122/ZZT230 1800CC | 99~ | 1ZZ-FE (16) | 4 | IN | ITY-0614 | 32.00 | 5.50 | 88.80 | 45° | | CG | | |
| | | | | EX | ETY-5614 | 27.50 | 5.50 | 88.80 | 45° | | CG | | |
| CELICA ZZT231 1800CC | 99~ | 2ZZ-FE (16) | 4 | IN | ITY-0618 | 34.00 | 5.50 | 111.30 | 45° | | CG | | |
| | | | | EX | ETY-5618 | 29.50 | 5.50 | 111.70 | 45° | | CG | | |
| COROLLA 1600CC | 99~ | 3ZZ-FE (16) | 4 | IN | ITY-0615 | 31.00 | 5.50 | 88.80 | 45° | | CG | | |
| | | | | EX | ETY-5615 | 26.00 | 5.50 | 88.80 | 45° | | CG | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |